

TECHNICAL DATA SHEET

Date Issued: 06/03/2013

Rev: 01

Kindpac Europe GmbH
Alte Kaserne 5
D - 47249 Duisburg

Telefon +49 (0) 203 - 757 97 46
Telefax +49 (0) 203 - 757 97 48
E-mail: info@kindpac.de

Brand name: CARGOSORB® -container desiccant

Product Description: The bagging material of CARGOSORB® is special material, and through a special formula, this achieves that all the absorbed moisture changed into gel material and no any fluid leakage caused.

CARGOSORB® can reduce dew point temp to keep cargoes safe and dry during shipping and storage in containers.

Absorbent: Calcium Chloride and starch

Packing material: PE and PET lamination film
Tyvek 1073B in accordance with FDA identification, register number is 21 CFR 178.2010

Specification:	Weight
No.1 CLASSIC: 228 x 13 cm (L x W)	1200G
No.2 CLASSIC: 114 x 13 cm (L x W)	600G
No.3 BLANKET: 112 x 58 cm (L x W)	2000G
No.4 SINGLE BAG: 22 x 13.4 cm (L x W)	125G
POLE -V: 110 x 14 x 5 cm (L x W x H)	1200G
POLE -H: 110 x 14 x 5 cm (L x W x H)	1200G

Adhesive: Strong foam double-sided adhesive at side of PE/PET film
No.1 CLASSIC 6 round adhesives of 4cm diameter
No.2 CLASSIC 3 round adhesives of 4cm diameter
No.3 BLANKET 12 round adhesives of 4cm diameter
No.4 SINGLE BAG one rectangular adhesive of 6cm x 13cm
POLE-V one round adhesives of 4cm diameter
POLE-H one round adhesives of 4cm diameter

TECHNICAL DATA SHEET


Date Issued: 06/03/2013

Rev: 01

Kindpac Europe GmbH
Alte Kaserne 5
D - 47249 Duisburg

Telefon +49 (0) 203 - 757 97 46
Telefax +49 (0) 203 - 757 97 48
E-mail: info@kindpac.de

Physical Characteristics:



Application:

CARGOSORB® contain dehydrating agents (Calcium Chloride) that can absorb three times its weight in moisture and protect all kinds of cargoes such as machines, casting, food, cereals, canned goods, glass, artworks, furniture etc.

The calculation of required number of desiccant units can be obtained from KINDPAC.

Packaging:

No.1 CLASSIC: 10 pcs/PE bag; 1 PE bag/carton; 40 cartons/ pallet

No.2 CLASSIC: 20 pcs/PE bag; 1 PE bag/carton; 40 cartons/ pallet

No.3 BLANKET: 5 pcs/PE bag; 1 PE bag/carton; 40 cartons/ pallet

No.4 SINGLE BAG: 100 pcs/PE bag; 1 PE bag/carton; 40 cartons/pallet

POLE-V / POLE-H: 1 pc/PE bag; 8 poles/carton; 20 cartons/ palett
or 1 pc/PE bag; 120 poles/big box

TECHNICAL DATA SHEET

Date Issued: 06/03/2013

Rev: 01

Kindpac Europe GmbH
Alte Kaserne 5
D - 47249 Duisburg

Telefon +49 (0) 203 - 757 97 46
Telefax +49 (0) 203 - 757 97 48
E -mail: info@kindpac.de

Handling: Due to moisture adsorbent properties of desiccant, the container (or PE-bag) positively must not be opened for any longer period than is absolutely necessary for withdrawals. The container (or PE - bag) shall be tightly resealed immediately after any withdrawal.

Note: Any details of application possibilities do not free the purchaser from the obligation of performing his own tests on the material supplied by the seller in order to determine their suitability for the intended processes and purposes. Application, use and processing of the material cannot be controlled by the seller and are thus the sole responsibility of the purchaser.

